

### DISPLAY

AVAILABLE COLORS



Black



### KEY FEATURES


- Outdoor-Safe, built for permanent outdoor installation (full shade applications)
- Premium 4K UHD screen with direct LED backlight delivers breathtaking, dramatic picture detail with 4 times the resolution of Full HD
- Up to 30% brighter than indoor TVs for improved viewing in brighter outdoor environments
- Supports HDMI 2.0 and HDCP 2.2 ensuring compatibility with the latest 4K sources and streaming services
- Powder-coated rust-proof aluminum exterior protects internal components from rain, snow, dust, insects, humidity, and salt air
- Innovative weather-tight Cable Entry System seals out moisture and allows for easy hook-ups
- Large media bay with plenty of room for many popular media players, cables, baluns, and extenders
- Built-in 20W down-firing speakers for an all-in-one sound solution, or add an external audio system
- Dispersive temperature regulation system allows operation in low temperatures from -24°F and high temperatures up to 104°F (Storage temperature from -24°F up to 140°F)
- Rear IR receiver in media bay keeps IR emitter hidden & protected
- Weatherproof remote control. Leave it outdoors. Conveniently ready when you need it
- 2 HDMI and 1 USB input provide plenty of connectivity options

<p><b>SCREEN</b></p>	<p>SCREEN 75-inch Diagonal Color Active Matrix TFT LED</p> <p>RESOLUTION 3840 x 2160 UHD 4K</p> <p>ASPECT RATIO 16:9</p> <p>CONTRAST RATIO 4000:1</p>	<p>FRAME RATE 60 Hz</p> <p>VIEWING ANGLE 178° x 178°</p> <p>RESPONSE TIME 8 milliseconds</p> <p>TV FORMATS 2160p, 1080p, 1080i, 720p, 720i, 480p, 480i</p>
<p><b>CONNECTIONS</b></p>	<p>RF Antenna/CATV (ATSC/QAM/NTSC) x1</p> <p>HDMI HDMI™ Input x2 (HDMI 2.0, HDMI 1.4, HDCP 2.2) 3840 x 2160 @ 60hz</p> <p>VIDEO COMPOSITE Composite Video x1 L/R Audio Inputs x1</p> <p>VIDEO COMPONENT YPbPr plus Stereo Audio x1</p>	<p>CONTROL SET Concealed Rear IR Window</p> <p>AUDIO OUT Analog: 1/8" Stereo Fixed or Variable</p> <p>SPEAKERS 20 WATT internal speakers</p> <p>INPUT POWER 100-240 VAC, 50-60 Hz 2.8 A Max (313 WATTS/2.3a@120v)</p>
<p><b>TEMPERATURE TOLERANCES</b></p>	<p>OPERATING TEMP -24° to 104° F. (-31° to 40°C.)</p> <p>NON-OP. TEMP -24° to 140° F. (-31° to 60°C.)</p>	
<p><b>PHYSICAL SPECS</b></p>	<p>ACCESSORIES INCLUDED Weatherproof remote control</p> <p>EXTERIOR Powder-coated aluminum</p> <p>EXTERIOR COLORS Black only</p> <p>TV DIMENSIONS 67.12in x 38.89in x 4.45in (1704mm x 988mm x 113mm)</p> <p>TV WEIGHT 105lbs (47.6kg)</p>	<p>VESA MOUNT PATTERN 400mm x 400mm</p> <p>SHIPPING DIMENSIONS 75.8in x 44.5in x 8.8in (1925mm x 1130mm x 223mm)</p> <p>SHIPPING WEIGHT 125lbs (56.56kg)</p> <p>RESIDENTIAL WARRANTY 1 Year</p> <p>COMMERCIAL WARRANTY 1 Year</p>



# Specifications

## SunBriteTV Model SB-7574UHD

LCD Screen	75-inch diagonal Color Active Matrix TFT LED LCD
Resolution	3840 x 2160 UHD 4K
Aspect Ratio	16:9
Contrast Ratio	4000:1
Frame Rate	60hz
H/V Viewing Angle	178° by 178°
Response Time	8 milliseconds
TV formats	2160p*, 1080p, 1080i, 720p, 720i, 480p, 480i * using HDMI only
Input Connectors:	
RF	Antenna/CATV (NTSC/ATSC/QAM) x1
HDMI	HDMI Input x2(Supports HDMI 2.0, HDMI 1.4, HDCP 2.2 & HDCP 1.4)
Video Composite	Composite Video x1, L/R Audio Inputs x1
Video Component	YPbPr plus Stereo Audio x1
Control Set	Discrete IR Control, Concealed rear IR receiver
Audio Out	Analog 1/8" jack (variable or fixed) only
Speakers	20 Watt downfiring internal speakers
Exterior	Powder-coated aluminum
Colors	Black only
Input Power	100-240 VAC, 50-60 Hz 2.8A Max (313 watts/.2.8@120v)
Operating Temp.	-24° to 104° F. (-31° to 40° C.)
Non-op. Temp.	-24° to 140° F. (-31° to 60° C.)
Accessories Included	Weatherproof remote control with battery
TV Dimensions	67.12" W x 38.89" H x 4.45" D 1704mm W x 988mm H x 113mm D
TV Weight	105 lbs.(47.6 kgs)
Residential Warranty	1 year
Commercial Warranty	1 year
Vesa Mount Pattern	400mm x 400mm



All dimensions are in inches, dimensions in [ ] are [metric]



10/19/2017

Specifications are subject to change.